



Sud-Z-Wash

- ✓ **Ideal for Hand or Brush washing vehicles**
- ✓ **High Foam protects fine finishes from scratches**
- ✓ **Ideal for light duty quick exterior cleaning**
- ✓ **Leaves glass sparkling clean without wiping**
- ✓ **Highly concentrated. Dilute with 32 parts water or use with a Foamer/Dilution Unit attached to a garden hose.**
- ✓ **On vertical surfaces, apply diluted Sud-Z-Wash starting from the bottom and going upward in a long sweeping motion. Wait at least 10 minutes before rinsing, longer if possible**
- ✓ **Use the quick release mechanism on the Foamer Unit to rinse with clear water**
- ✓ **Will not cause inflammation of the skin or damage to foliage or grasses when used as directed.**



Sud-Z-Wash Concentrate

Sud-Z-Wash Concentrate is a highly concentrated product used extensively for fast and efficient removal of all types of soils from vehicles and other exterior surfaces. Sud-Z-Wash Concentrate is economical, easy to use, and is safe for any and all surfaces. This product yields spectacular results on glass and other non-porous surfaces such as vehicles or other machinery. The lubricating action of the high suds makes Sud-Z-Wash perfectly suited for brushing all types of surfaces while protecting fine finishes from scratches.

Directions:

- 1) A 32:1 dilution of Sud-Z-Wash Concentrate is suitable for cleaning most surfaces. Particularly difficult cleaning problems may require a 20:1 dilution, reapplication, or gentle scrubbing. In general, reapplication or gentle scrubbing will produce the best results on hard-to-remove soils.
- 2) For most vehicle washing operations, Sud-Z-Wash should be diluted at four ounces per gallon (32:1) and then applied with a soft towel or sponge.
- 3) Sud-Z-Wash may be pre-diluted and applied with a pump-up sprayer or other suitable application device. However, the preferred method for covering large areas is to use a suitable foamer fitted with the proper orifice (32:1 orifice) attached to a garden hose. Application with this simple equipment will allow treatment of larger vehicles and machinery with minimal effort in a short time frame.
- 4) Spray or wipe the dilute soap solution onto the machinery, vehicle, or other surface, taking care to thoroughly cover and wet the surface. The soap application should begin at the bottom of the area to be cleaned and worked upward with long sweeping motions to avoid streaking.
- 5) Allow the chemical to sit undisturbed for as long as is practical. Do not allow the chemical to dry on the surface. Agitation with a soft-bristle brush will greatly aid the removal of soils—especially road film from trucks and cars.
- 6) The ideal method of rinsing is by the use of a low pressure power washer, although excellent results can be seen with a simple spray nozzle on a garden house.
- 7) Start from the top and work down with the rinse water, taking care to apply as much force to the surface as is possible to help dislodge the soil. Continue in this manner till all evidence of foam is gone.

Warning: May cause eye irritation. Avoid contact with eyes. **FIRST AID:** In case of contact, immediately flush with water for at least 15 minutes. Get medical attention if irritation persists. Please refer to the MSDS for more specific safety information. **KEEP OUT OF REACH OF CHILDREN.**