

The River City Soap Co.

1792 Latham St Memphis, TN 38106 Phone: 901-487-6927

e-mail Info@RiverCitySoap.com



For spill, leak, or Medical Emergency call Infotrac 800-535-5053

Section I - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended %(optional)	
None Chemical Name: Cleaning Compound				

Section II - Physical/Chemical Characteristics

Boiling Point	212 ° F	Specific Gravity (H ₂ O = 1)	1.065
Vapor Pressure (mm Hg.)	Unknown	Melting Point	@ 28 ° F
Vapor Density (AIR = 1)	> 1	Evaporation Rate (Butyl Acetate = 1)	< 1 As water
Solubility in Water: Soluble			
Appearance and Odor: Light blue, fragrant liquid	Shipping Information: Cleaning Compound NOS, Non Hazmat, Class 55 NMFC = 48580		

Section III - Fire and Explosion Hazard Data

Flash Point (Method Used) >N/A	Flammable Limits	LEL N/A	UEL N/A		
Extinguishing Media None Needed					
Special Fire Fighting Procedures Use water spray to cool drums exposed to fire.					
Unusual Fire and Explosion Hazards: Firefighters should use self-contained breathing apparatus to avoid exposure to smoke and vapors.					

Section IV - Reactivity Data

Stability	Unstable		Conditions to Avoid	
	Stable	X		
Incompatibility (Strong oxidizing	Materials to Avoid	<i>d</i>)		
Hazardous Decomposition or Byproducts None Known				
Hazardous Polymerization	May Occur		Conditions to Avoid	
	Will Not Occur	X		

Sud-Z-Wash (cont'd)

Section V - Health Hazard Data

Route(s) of Entry: Inhalation? Skin? Ingestion?

Health Hazards (Acute and Chronic)

<u>Inhalation</u> hazard is negligible. Vapors or finely misted materials may irritate the mucous membranes and cause irritation, dizziness and nausea. Remove to fresh air.

Eye contact may cause irritation. Irrigate eye with water for at least 15 to 20 minutes. Seek medical attention if symptoms persist.

Prolonged or repeated contact with the skin is not likely to cause significant skin irritation.

No hazards anticipated from ingestion incidental to industrial exposure.

Carcinogenicity: NTP IARC Monographs OSHA Regulated No No

Signs and Symptoms of Exposure

Contact with eyes may cause irritation.

Medical Conditions Generally Aggravated by Exposure: Existing dermatitis

Emergency and First Aid Procedures

Eyes: Irrigate eyes with water for at least 15 to 20 minutes.

Skin: Wash exposed areas of the body with soap and water.

Inhalation: Remove from area of exposure; seek medical attention if symptoms persist.

Ingestion: Give one or two glasses of water to drink. If gastro-intestinal symptoms develop, consult medical personnel.

(Never give anything by mouth to an unconscious person.)

Section VI - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Spill Cleanup Procedures: Stop leak if possible. Pick up small spills with absorbent materials such as paper towels, "Oil Dry", sand or dirt. Recover large spills for salvage or disposal. Wash hard surfaces with water to remove remaining product.

Waste Disposal: Waste may be disposed of by a licensed waste disposal company. Contaminated absorbent materials may be disposed of in an approved land fill. Follow local, state and federal disposal regulations.

Environmental Hazards: None

Precautions to Be taken in Handling and Storing

Store in closed containers between 50° F – 100° F.

Keep away from oxidizing agents, excessive heat and ignition sources.

Store and use in well ventilated areas.

Drum is not a pressure vessel; never use pressure to empty.

Section VII - Control Measures

Respiratory Pro Not generally	otection (Specify Type) necessary			
Ventilation	Local Exhaust Suitable for almost all applications		Special	
	Mechanical (General)		Other	
		Eye Pro Glasses	tection or goggles are recommended	
Other Protective Clothing or Equipment				

Work/Hygienic Practices

Normal Industrial Hygiene Practices. Keep out of the reach of children.